

Response to Office Action
Mailed March 17, 2003
For Serial No. 09/873,778

STATUS OF THE CLAIMS
(NO CURRENT AMENDMENTS)

1. (Original) A keyboard comprising:
a standard keypad;
a track ball mechanism; and
a scroll mechanism being located less than one inch from the track ball mechanism, at least one of the track ball mechanism and the scroll mechanism being located less than one inch from the standard keypad.
2. (Original) The keyboard, as set forth in claim 1, wherein the standard keypad comprises a "QWERTY" keypad.
3. (Original) The keyboard, as set forth in claim 1, wherein the track ball mechanism comprises:
a track ball; and
two buttons positioned adjacent the track ball.
4. (Original) The keyboard, as set forth in claim 1, wherein the scroll mechanism comprises:
a device adapted to scroll up;
a device adapted to scroll down;
a device adapted to scroll left; and
a device adapted to scroll right.
5. (Original) The keyboard, as set forth in claim 1, wherein the scroll mechanism comprises:
a left scroll button;
a right scroll button; and
an up/down scroll button.

Response to Office Action
Mailed March 17, 2003
For Serial No. 09/873,778

6. (Original) The keyboard, as set forth in claim 5, wherein up/down button of the scroll mechanism is integrated with the track ball mechanism.

7 – 14 (Withdrawn)

15. (Original) The keyboard, as set forth in claim 1, wherein the track ball mechanism is disposed above the scroll mechanism.

16 – 20 (Withdrawn)

al 21. (Original) The keyboard, as set forth in claim 1, wherein the track ball mechanism and the scroll mechanism are disposed below the standard keypad.

22. (Original) The keyboard, as set forth in claim 21, wherein at least one of the track ball mechanism and the scroll mechanism is located centrally below the standard keypad.

23. (Original) A keyboard comprising:
a standard keypad;
a track ball mechanism located centrally beneath the standard keypad; and
a scroll mechanism being located less than one inch from the track ball mechanism.

24. (Original) The keyboard, as set forth in claim 23, wherein the standard keypad comprises a "QWERTY" keypad.

25. (Original) The keyboard, as set forth in claim 23, wherein the track ball mechanism comprises:

a track ball; and
two buttons positioned adjacent the track ball.

Response to Office Action
Mailed March 17, 2003
For Serial No. 09/873,778

26. (Original) The keyboard, as set forth in claim 23, wherein the scroll mechanism comprises:

- a device adapted to scroll up;
- a device adapted to scroll down;
- a device adapted to scroll left; and
- a device adapted to scroll right.

27. (Original) The keyboard, as set forth in claim 23, wherein the scroll mechanism comprises:

- a1
- a left scroll button;
 - a right scroll button; and
 - an up/down scroll button.

28. (Original) The keyboard, as set forth in claim 27, wherein up/down button of the scroll mechanism is integrated with the track ball mechanism.

29 – 36 (Withdrawn)

37. (Original) The keyboard, as set forth in claim 23, wherein the track ball mechanism is disposed above the scroll mechanism.

38 – 42 (Withdrawn)

43. (Original) The keyboard, as set forth in claim 23, wherein the track ball mechanism is located less than one inch from the standard keypad.

44. (Withdrawn)

Response to Office Action
Mailed March 17, 2003
For Serial No. 09/873,778

45. (Original) The keyboard, as set forth in claim 23, wherein the scroll mechanism is located centrally below the standard keypad.
